

Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 1/5

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3G1\PAS3G1ANGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)


USA Address:  
**SELENIUM USA**  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

**SELENIUM**  
LOUDSPEAKERS

BRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
[www.selenium.com.br](http://www.selenium.com.br)

Low frequency cabinet, trapezoidal shape, bass-reflex type for use in PA systems with two 18" low frequency driver.

Components:  
18SW1P or 18SW2P subwoofer or  
WPU1805 or WPU1807 woofer (2 pieces)



Projection Angle:

First

Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 2/5

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3G1\PAS3G1INGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

NOTES:

Net internal volume of the 18" low frequency driver chamber: 150 liters (each).

Cut off Frequency:


18" Speaker: Low: 40 Hz.

High: should match the low cut off frequency of the next channel enclosure.


Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

Item	Qty	Description	Material	Notes
1	2	Top/Botton	Plywood 20 mm	
2	2	Lateral	Plywood 20 mm	
3	1	Partition	Plywood 20 mm	
4	2	Front Panel	Plywood 20 mm	
5	2	Duct Wall	Plywood 20 mm	
6	1	Back	Plywood 20 mm	
7	2	Duct Reinforcement	Plywood 20 mm	
8	2	Frame 1	Plywood 20 mm	
9	2	Frame 2	Plywood 20 mm	


Specifications subject to  
change without notice.




Item 1  
Qty: 2 pieces



Item 3  
Qty: 1 piece



Item 4  
Qty: 2 pieces



Item 5  
Qty: 2 pieces

Dimensions in cm.

Projection Angle:

First






Specifications subject to  
change without notice.

03/03 - Rev.: 01 - Page: 4/5

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3G1\PAS3G1ANGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)




Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.



Section A-A

Section B-B

Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 1/6

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3MA1\PAS3MA1INGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
www.seleniumloudspeakers.com

USA Address:  
**SELENIUM USA**  
USA  
www.seleniumloudspeakers.com


**SELENIUM**  
LOUDSPEAKERS

BRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
www.selenium.com.br


Trapezoidal cabinet, two way, horn type, for use in PA systems, with two 12" mid-bass and one titanium compression driver with horn.

Components:

- WPU1206 or 12MB2P mid-bass (2 pieces)
- D4400Ti or D408Ti or D3300Ti DPD or D3305Ti DPD driver (1 piece)
- HL4750-SLF horn (1 piece)



Projection Angle:



Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 2/6

NOTES:

Cutt off Frequency:

12" Speaker: Low: 200 Hz.  
High: 1.200 Hz.


Driver: Low: 1.200 Hz.

Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.


Item	Qty	Description	Material	Notes
1	2	Top/Botton	Plywood 20 mm	
2	2	Lateral	Plywood 20 mm	
3	1	Panel 1	Plywood 20 mm	
4	1	Rear Paine1 1	Plywood 20 mm	
5	1	Frame 1	Plywood 20 mm	
6	4	Frame 2	Plywood 20 mm	
7	2	Ramp 1	Plywood 20 mm	
8	1	Panel 2	Plywood 20 mm	
9	1	Panel 3	Plywood 10 mm	
10	1	Panel 4	Plywood 10 mm	
11	2	Ramp 2	Plywood 20 mm	
12	1	Partition 1	Plywood 20 mm	
13	2	Wedge	Plywood 20 mm	
14	1	Rear Paine1 2	Plywood 20 mm	
15	2	Frame 3	Plywood 20 mm	
16	4	Frame 4	Plywood 20 mm	
17	1	Partition 2	Plywood 20 mm	

Specifications subject to  
change without notice.







Item 1  
Qty: 2 pieces




Item 11  
Qty: 2 pieces



Item 7  
Qty: 2 pieces




Item 12  
Qty: 1 piece









Item 13  
Qty: 2 pieces

Dimensions in cm.

Projection Angle:




Specifications subject to  
change without notice.








Dimensions in cm.

Projection Angle:



Specifications subject to change without notice.



Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.