

Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 1/5

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3G1\PAS3G1ANGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
www.seleniumloudspeakers.com


USA Address:  
**SELENIUM USA**  
www.seleniumloudspeakers.com

**SELENIUM**  
LOUDSPEAKERS

BRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
www.selenium.com.br

Low frequency cabinet, trapezoidal shape, bass-reflex type for use in PA systems with two 18" low frequency driver.

Components:  
18SW1P or 18SW2P subwoofer or  
WPU1805 or WPU1807 woofer (2 pieces)



Projection Angle:

First 

Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 2/5

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3G1\PAS3G1INGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

NOTES:

Net internal volume of the 18" low frequency driver chamber: 150 liters (each).

Cut off Frequency:


18" Speaker: Low: 40 Hz.

High: should match the low cut off frequency of the next channel enclosure.


Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

| Item | Qty | Description        | Material      | Notes |
|------|-----|--------------------|---------------|-------|
| 1    | 2   | Top/Botton         | Plywood 20 mm |       |
| 2    | 2   | Lateral            | Plywood 20 mm |       |
| 3    | 1   | Partition          | Plywood 20 mm |       |
| 4    | 2   | Front Panel        | Plywood 20 mm |       |
| 5    | 2   | Duct Wall          | Plywood 20 mm |       |
| 6    | 1   | Back               | Plywood 20 mm |       |
| 7    | 2   | Duct Reinforcement | Plywood 20 mm |       |
| 8    | 2   | Frame 1            | Plywood 20 mm |       |
| 9    | 2   | Frame 2            | Plywood 20 mm |       |


Specifications subject to  
change without notice.




Item 1  
Qty: 2 pieces



Item 3  
Qty: 1 piece



Item 4  
Qty: 2 pieces



Item 5  
Qty: 2 pieces

Dimensions in cm.

Projection Angle:

First






Specifications subject to  
change without notice.

03/03 - Rev.: 01 - Page: 4/5

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3G1\PAS3G1ANGLES


EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)





Dimensions in cm.


Projection Angle:




Specifications subject to  
change without notice.



Section A-A



Section B-B



Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.

03/03 - Rev.: 01 - Page: 1/6

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3MA4\PAS3MA4ANGLES

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)


**SELENIUM**  
LOUDSPEAKERS

BRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
[www.selenium.com.br](http://www.selenium.com.br)


Trapezoidal cabinet, two way, horn type, for use in PA systems, with two 10" mid-bass and one titanium compression driver with horn.

Components:

- 10MB1P mid-bass (2 pieces)
- D4400Ti or D408Ti or D3300Ti DPD or D3305Ti DPD driver (1 piece)
- HL4750-SLF horn (1 piece)



Projection Angle:



Specifications subject to change without notice.

NOTES:

Cut off Frequency:

10" Speaker: Low: 200 Hz.  
High: 1.200 Hz.


Driver: Low: 1.200 Hz.

Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.


| Item | Qty | Description  | Material       | Notes |
|------|-----|--------------|----------------|-------|
| 1    | 2   | Top/Bottom   | Plywood 20 mm  |       |
| 2    | 2   | Lateral      | Plywood 20 mm  |       |
| 3    | 1   | Panel 1      | Plywood 20 mm  |       |
| 4    | 1   | Rear Panel 1 | Plywood 20 mm  |       |
| 5    | 1   | Frame 1      | Plywood 20 mm  |       |
| 6    | 4   | Frame 2      | Plywood 20 mm  |       |
| 7    | 2   | Ramp 1       | Plywood 20 mm  |       |
| 8    | 1   | Panel 2      | Plywood 20 mm  |       |
| 9    | 1   | Panel 3      | Plywood 10 mm  |       |
| 10   | 1   | Panel 4      | Plywood 10 mm  |       |
| 11   | 2   | Ramp 2       | Plywood 20 mm  |       |
| 12   | 1   | Partition 1  | Plywood 20 mm  |       |
| 13   | 2   | Wedge        | Plywood 20 mm  |       |
| 14   | 1   | Rear Panel 2 | Plywood 20 mm  |       |
| 15   | 2   | Frame 3      | Plywoods 20 mm |       |
| 16   | 4   | Frame 4      | Plywood 20 mm  |       |
| 17   | 1   | Partition 2  | Plywood 20 mm  |       |

Specifications subject to  
change without notice.







Item 1  
Qty: 2 pieces





Item 11  
Qty: 2 pieces



Item 7  
Qty: 2 pieces




Item 12  
Qty: 1 piece



Item 13  
Qty: 2 pieces

Dimensions in cm.

Projection Angle:




Specifications subject to  
change without notice.

03/03 - Rev.: 01 - Page: 4/6

F:\CAIXAS ACÚSTICAS\PAS\PAS3\PAS3MA4\PAS3MA4INGLES


EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)








Dimensions in cm.

Projection Angle:



Specifications subject to change without notice.



Dimensions in cm.

Projection Angle:

First

Specifications subject to change without notice.